

IV. GRAVITY ANOMALY

Masato Joshima

Gravity measurement was carried out by LaCoste & Romberg air-sea gravity meter whose accuracy of measurement was 1 milligal. The gravity values were connected with the gravity value on land at Funabashi berth where the absolute gravity value is 979.802.7 milligal. Base reading value at the first time (12, January) was 10,695.6 and the last base reading value was 10,688.4.

Fig. IV-1 shows the free air gravity anomaly. Highest anomalies appear at sea mountains such as Magellan Rise and the values of free air gravity anomaly are approximately




Fig. IV-1 Contour map of free air gravity anomaly. Interval of the contour is 10 milligal and the numerals in the figure show the value of anomaly.




Fig. IV-2 Examples of profile of 2-dimensionally corrected bouguer gravity anomaly.

+ 15 milligal and lowest values are approximately -35 milligal. Broad and low anomalies appear in the southeast part of this area and their values are approximately -30 milligal. There is no geographical features such as trough which causes low gravity anomaly, so these low values may corresponds to thick sediment layers whose density is a little smaller than usual rocks.

Generally speaking the gravity anomaly of this area is small and has no indication relating to the present tectonic motions such ones along trench or ridge. Fig. IV-2 shows the 2-dimensionally corrected bouguer gravity anomalies along typical traverses. Variation in bouguer anomaly value is small at the trough. Fig. IV-3 shows the profiles of geophysical data such as geomagnetic anomaly, free air gravity anomaly, simple bouguer gravity anomaly and water depth of some typical traverses.

/PPF-05/

LGN
LGN
GNY
GNY

171 11.30

22

0620

0.70

1.30

2.2

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65

0.65


0.65

0.65

0.65

0.65


Fig. IV-3 (1-26) Profiles of geophysical data such as geomagnetic anomaly, free air gravity anomaly, simple bouguer gravity anomaly and water depth.




(1)

/PFF-DS/

LAT 6 45.10
LDN 175 11.26
DRY 25
GHT 0103
HORING
+ EAST
0 NORTH
- WEST
SPEED
(KTS)






- 47 -



(1)

(2)















/PRF-05/

713





712





PRF-OS/



/PRF-05/


722




/PREF-05/

16T	5 41.55
17N	-17.1 31.55
00H	0.37
00T	0.35


725





724





(10)





















/PRF-DS'

728



729







734 ←


733

732

/PREF-DS/




GRAVITY
[MGAL]
• BULGAR
• FLEET-FAR
350





00006

(20)





(21)





(23)








703

701

701



- 71 -



(26)