

Coseismic Groundwater Level changes and its explanation of Taiwan, 2003~2004

Wen-Chi Lai¹, Tzay-Tzong Tsai¹, Chjeng-Lun Shieh^{1,2}

1. Disaster Prevention Research Center, National Cheng Kung University, Taiwan R.O.C

2. Department of Hydraulic and Ocean Engineering, National Cheng Kung University, Taiwan R.O.C.

Abstract

Taiwan is located at the active plate boundary between the Eurasian plate and the Philippine Sea plate. The active arc-continent collision along the Longitudinal Valley of eastern Taiwan generated the highly seismic activity along the eastern coast of the Taiwan Island.

The Disaster Prevention Research Center (DPRC) of National Cheng-Kung University has taken charge to establish the high quality monitoring network and related researches under the support from the National Science Council and Water Resources Agency. In the past three year, eight observation stations located at the western foothills and the eastern coast has been established. Specially, the observation wells located at the east coast have good records for the earthquake induced groundwater level changes in a very short time.

The purposes of this study are to introduce the observation results of the observation network. The analysis of the tidal response and the atmospheric pressure response is used to estimate the mechanical properties of the aquifer. Comparison between the calculated crustal strain and the observed groundwater level changes in the each event, offers the opportunity to discussion the possible mechanism of the hydrologic response to earthquake.